: SADDLE FITTING, AFT (OUTBOARD/INBOARD)

Qtv:

Wednesday, 1/25/2006 1:22:04 PM

User:

Kim Johnston

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number Estimate Number : 25619

P.O. Number

: 10533

This Issue

:N/A

: 1/25/2006 Prsht Rev.

: NC

: NIA : 25018

S.O. No. : NA

: MACHINED PARTS

Part Number

Drawing Name

Drawing Number

Project Number

Drawing Revision Material

Due Date

: D2573 REV & EAR OF STATE OF

: 2/10/2006

12 Um:

Each

Written By

First Issue

Previous Run

Checked & Approved By

Comment

: Est: H 02.10.02 Re-format; Change to Dwg Rev. D &

incorporated D2574KJ

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

D6101007 1.0

7075-T7351 8.25X7.75X2.5



Comment: Qty.:

1.0000 Each(s)/Unit

Total:

12.0000 Each(s)

7075-T7351 8.25X7.75X2.5

Make from D6101-007 billet for D2573 Ensure that grain is along 7.75" length

Batch No: **B 34070**

06/03/02

2.0

HAAS1



Comment: HAAS CNC VERTICAL MACHINING #1

Program Batch No. 2561 1 Double check by: 36-

1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets

- 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets
- 4-Deburr and remove all machining marks

5-Tumble to remove sharp edges.

CONVENTIONAL MILLING MACHINE

06/03/03

3.0

MILLING CONV.



Comment: CONVENTIONAL MILLING MACHINE

Machine keyway as per dwg D2573 & D2574

En oboslog

12

Dart	_		

W/O:		WORK ORDER CHA	RDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
						,		

Part No: _	 PAR #:	Fault Category:	NCR: Yes No DQA:	Date: <u>~ / \03/4</u>
			QA: N/C Closed:	Date:

NCR:		`	WORK ORDER NON-CONFORMANCE (NCR)							
•		Description of NC		Corrective Action Section B		Verification	Approval	Annroval		
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto		
•										
		•								
						,		:		

NOTE: Date & initial all entries

Wednesday, 1/25/2006 1:22:04 PM Date: ' User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services Job Number: 25619 Part Number: D2573 Job Number: Seq. #: Description: **Machine Or Operation:** INSPECT PARTS AS THEY COME OFF MACHINE 4.0 QC2 との Comment: INSPECT PARTS AS THEY COME OFF MACHINE 12 SECOND CHECK 5.0 QC8 MS Comment: SECOND CHECK 06/03/09 HAND FINISHING RESOURCE #1 HAND FINISHING 6.0 Comment: HAND FINISHING RESOURCE #1 06:03:12 Acid etch and Alodine as per QSI 005 4.1 SAD POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSIO 8.0 Comment: INSPECT POWDER COAT PACKAGING RESOURCE #1 9.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock CX04 103115 Location: STY79 10.0 Comment: DOCUMENT CONTROL Inspection Level 21 CA Obox 3.15 Job Completion

Form: rprocess

Page 2

Dart Aerospace Ltd

W/O:		WORK O	RDER CHANGES			*		· · · · · · · · · · · · · · · · · · ·
DATE	STEP	PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
			·					
			······			,		
Part No):	PAR #: Fault Category:	. NO	CR: Yes	No DQ	A:	Date:	

QA: N/C Closed: _____ Date: ____

NCR:			WORK OR	DER NON-CONFORMANC	E (NCR)	· · · · · · · · · · · · · · · · · · ·		
		Description of NC		Corrective Action Section B		Varification		
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector
•			7					
				· · ·		-		
				·				
							1	

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	25419
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Re	corded Act	ual Dimensi	ons ;		
Dim	Min	Max	Go/No Go Gauge	. 1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.438	0.434	6.438	0438		
В	1.745	1.755		L747	1.745	1,745	1.747		
С	3.495	3.505		3.497	3498	3.499	3 478		
D	1.745	1.755		1.747	1.745	1.745	1.747		
Ε	7.990	8.010		8.006	8.004	8.006	8 004		
F	0.490	0.510		9.561	0.496	0.499	0.502		
G	0.257	0.262	DT8683	0-257		0.257	0.257		
Н	0.375	0.380	DT8684	0.375	0.375	0.375	0.375		
ı	0.490	0.510		0.562	0.564	0.564	0.501		
J	1.174	1.184		1,177	1177	11177	:4177		
K	0.558	0.578		0.566	0.567	0.568	0.565		
L	1.174	1.184		1.177	1.177	1.177	1.177		
М	1.365	1.375		1.369	1.368	1.368	1.367		
N	2.495	2.505	******	2.495	2.497	2.498	2.497		
0	4.119	4.129		4,171	4.122_	4.127	4.120		
Р	0.115	0.135		0.123	0.123	0.123	0./27		
Q	0.115	0.135		0.136	0./30	0.130	6.130		
R	0.240	0.260		0.247	0.248	0.248	0.278		
S	0.115	0.135			0.122		0.124		
Т	0.178	0.198		0.188	0./88	0.188	0.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
٧	0.230	0.250		0.237	0.237	0.237	0-236		
W	0.115	0.135		0.132	0.131	6.130	0./3/		
Х	0.308	0.313		0-310		0.310	0.316		
Υ	0.760	0.765	•	0.760	0.760	0-760	0.760		
Z	0.352	0.372		0.360		0.360	0.366		
AA	0.470	0.530	•	6.500	0.500	0-500	6-500		
AB	0.615	0.635			0.628	0.629	0.630		
AC	0.053	0.073			0.063				
AD	0.240	0.260		6.248	0.244	0-244	0.244		
AE	1.500	1.520		1.514	1.514		1.513		
AF	0.115	0.135		0.130	0.130	0-130	0./36		
AG	0.240	0.280		0.260	0.260	0.260	0.260		
AH	0.240	0.260			0.248		0.246		
Al	2.000	2.020			2.003		2.002		
AJ	0.023	0.043		0-030	0.030	0.030	030		
	Acc	ept/Reje	ct						

_					
	Measured by:	Co	Audited by	MS	
	Date:	06/05/06	Date:	06/03	106

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	,
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	25619
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

	_		**************************************	Re	Recorded Actual Dimensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0-432	0.438	0-438	6.438		
В	1.745	1.755			1.747	1.746	1.747		
С	3.495	3.505		3.457	3.497	3,498	3-498		
D	1.745	1.755		1.747		1.746	1.747		
Е	7.990	8.010		8.004	8.006	8.00	8.005		
F	0.490	0.510		0.500	0.498	0.563	0-507		
G	0.257	0.262	DT8683	0.257	T	6.257	6.257		
Н	0.375	0.380	DT8684			0375			
l	0.490	0.510		0.500		c.499	0.499		
J	1.174	1.184			1.177	11178	1-177		
K	0.558	0.578		0563	0.565	0.565	0-566		
L	1.174	1.184		1.177	1.177	1.178	1.178		
М	1.365	1.375			1.368	1.368	1.368		
N	2.495	2.505		2.497	2.498	2 428	2.498		
0	4.119	4.129		4.12.1	4.173	4.172	4.122		· · · · · · · · · · · · · · · · · · ·
Р	0.115	0.135		0.173	6.125	0.177	0.123		
Q	0.115	0.135		0./70	0.130	6.130	6-136		
R	0.240	0.260		0.242	6.250	0.248	0-249		·
S	0.115	0.135			6-127	6.176	0.125		
Т	0.178	0.198				0-188			
U	3.210	3.250		3.234	3.230				
V	0.230	0.250		6.240	0.236		0-236		
W	0.115	0.135		6.132	0.131	0./31	00131		
X	0.308	0.313	-	0.310	0.3/0		0-310		
Υ	0.760	0.765		6-760			0-7660		
Z	0.352	0.372			0.360		0.360		
AA	0.470	0.530	7.2		_	0.500	0.540		
AB	0.615	0.635		0.627	0.630		0-629		
AC	0.053	0.073		0063	0:063		0.063		
AD	0.240	0.260		0.299	0,243	0249	0.248		
AE	1.500	1.520			1.516		1.514		
AF	0.115	0.135		130	0.130	0-130	6.130		
AG	0.240	0.280		0.260	0.260	0.260	0.266		
AH	0.240	0.260		0.243	0.246				
Al	2.000	2.020		2,003		2,003			
AJ	0.023	0.043		0.030		0-030	0.030		
	Acc	ept/Reje	ct						

Measured by:	な. G .	Audited by	J.6
Date: 06/03/	07	. Date:	06/03/07

Rev	Date	Change	Revised by	Approved
Α	A New Issue		RF	
В	B 02.09.26 Re-format; Added Rev. D		KJ	
С	02.10.11 Re-format; Added DT8682, DT8683, DT8684		KJ	
D	05.05.05	Added dimension Al	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	

DART AEROSPACE LTD	Work Order:	25619
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

Inspect differisions fightighted on inspect			Recorded Actual Dimensions						
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0-438	6-430	0430	0-438		
В	1.745	1.755		1.747	1.747	1.746	1.746		
С	3.495	3.505		\$ 500	B-501	3.498	3.499		
D	1.745	1.755		7. 747	1.747	1.746	1,746		
E	7.990	8.010		8.003	92.004	€.∞6	8.004		
F	0.490	0.510		0-499	0.500	0.502	0.500		
G	0.257	0.262	DT8683	6.257	0.257	0.257	0.257		
Н	0.375	0.380	DT8684	0.375	0.375	0.375	0.375		•
1	0.490	0.510		0 -501	0.500	0.503	0.498		
J	1.174	1.184		1,177	1,177	いィブト	1.177		
K	0.558	0.578		0.562	0.568	c. 566	0.565		
L	1.174	1.184		1.177	1.177	ルノアス	1.177		
M	1.365	1.375		1,372	1.372	1.872	1.37-2		
N	2.495	2.505		2.501	8.500	2.501	2.500		
0	4.119	4.129		4,124		41124	4.124		
Р	.0.115	0.135		0-125	0-178	0122	c·123		
Q.7	0.115	0.135		6./30	0./30	0-130	0-130		
Ret	0.240	0.260	***	0.349	0.248	6.246	0.248		
Sa	0.115	0.135		0.129	0-127	0.176	6.124		
T	0.178	0.198		0-158	0.188	0.188	0./88		
	-3.210	3.250		3,021	3.221	3.230	3.236		
. V	0:230	0.250		0-245	0.244	0.237	0-244		
	0.115	0.135		C-138	0.127	0.130	0.131		
• 'X'	0.308	0.313		0.310	0.310	0.310	0.310		
Y	0.760	0.765		0.760	0.760	0-760	0-760		
Z	0.352	0.372		0.362	0.362	0.362	0.367		
AA	0.470	0.530		0.500	0.500	0.500	0-500		
AB	0.615	0.635		0.628	6.624	0.628	0.629		
AC	0.053	0.073		0.063	° 0630	0.663	0.063		
AD	0.240	0.260		0.250	0.245	0.242	0.245		
AE	1.500	1.520		1.513	1.512	1.513	1.513		
AF	0.115	0.135		6-130	0.130	0-/30	6-130		
AG	0.240	0.280		0.760	0.260	0 266	0-26-5		
AH	0.240	0.260		0.250	0-245	0.246	6.250		
Al	2.000	2.020		2.002	2.003	2.003	2,000		
AJ	0.023	0.043		0.030	0.630	0.030	a. a.Ba		
	Acc	ept/Reje	ct						

Measured by: 5.65.	/ En	Audited by	ED
Date: 06/03/07	66/03/09	Date:	06/03/09

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684 ,	KJ	
D	05.05.05	Added dimension Al	KJ/RF	
Е	05.12.05	Added dimension AJ	KJ/JLM	

